

CPT Cable Stripping Tools



DESCRIPTION

CPT coax cable strippers are factory-calibrated to remove the right amount of cable jacket, cut the braid and dielectric to the proper length, and expose the center conductor in one smooth operation.

APPLICATIONS

The CPT Series of cable stripping tools strip the jacket and cut back the braid and dielectric to the proper dimensions on braided and braid-replacement drop cables, including standard (single) through quad shielded RG-6, -59, -7, and -11 cables. CPT tools are also available for Belden, SCTE approved Commscope and Times Fiber Mini Coax, Plenum, Commscope® 59 Quad-series Headend, and Times Fiber TXFF cables.

SPECIAL FEATURES

An Ergonomic, Efficient Design:

The CPT body is comfortable to hold and easy to operate with either hand. Because jacket, braid, and dielectric are cut with one simple motion, cables can be prepared quickly and easily.



Continued next page

- **Hardened tool-steel blades** strip jacket and cut back braid and dielectric in one smooth operation to prepare cable quickly.
- **Patented clean-out feature** removes debris during use for easy clean-up.
- **Pre-calibrated cartridges** ensure proper strip dimensions.

CPT Cable Stripping Tools

SPECIAL FEATURES *(continued)*


Hardened, Tool-steel Blades:

Made of the highest quality steel, CPT blades ensure optimum performance over a long life. Each cartridge can prepare 2,500 - 5,000 cables, depending on braid coverage.



Factory Calibration:

Pre-calibrated dimensions for different applications help to ensure that jackets are stripped and braid and dielectric are cut back properly.



Patented Cleanout Feature:

The patented cleanout feature of the CPT tool automatically removes excess jacket, braid, and dielectric from the tool after stripping.



Color-coded Bodies and Cartridges:

Color-coding of the tool bodies and replaceable cartridges makes it easy to identify the right tool for the application. The cartridges snap easily into place.



Lightweight Durability:

Rugged enough for the toughest jobs, lightweight CPT tools offer consistent, precision performance that can be depended on over the long haul.

CPT Cable Stripping Tools

ORDERING INFORMATION

Cable Type	Braid Exposure (in./mm)	Center Conductor Exposure (in./mm)	CPT Tool Part Number	SPC Part Number	Compatible with the Following Replacement Cartridges
Coax: RG-6 & RG-59					
6 & 59	0.250 / 6.4	0.250 min /6.4 min	CPT-6590 CPT-6590-SINGLE CPT-6590S (w/stop) CPT-6590-1S (w/stop)	304X412 304X418 304X525 304X280	RBC-6590
6 & 59 Plenum	0.250 / 6.4	0.250 min /6.4 min	CPT-6590PL	304X274	RBC-6590PL
6 & 59	0.125 / 3.2	0.250 / 6.4 with stop	CPT-1250	304X269	RBC-1250
TriShield 6	0.250 / 6.4	0.250 / 6.4	CPT-6590TS CPT-6590TS-1	304X277	RBC-6590TS
CommScope 59 Quad Series Head End	0.250 / 6.4 (Cuts off first layer of braid)	0.250 min /6.4 min	CPT-59HEC2	304X271	RBC-59HEC2
Coax: RG-7 & RG-11					
7 & 11	0.250 / 6.4	0.250 min /6.4 min	CPT-1100 CPT-1100-SINGLE	304X400 304X263	RBC-1100
7 & 11 Plenum	0.250 / 6.4	0.250 min /6.4 min	CPT-1100PL	304X266	RBC-1100PL
7 & 11	0.125 / 3.2	0.250 min /6.4 min	CPT-1100-125	304X260	RBC-1100-125
Mini Coax					
Belden	0.250 / 6.4	0.250 min /6.4 min	CPT-7538	304X405	RBC-7538
Commscope and Times Fiber (SCTE Approved)	0.250 / 6.4	0.250 min /6.4 min	CPT-7691	304X660	RBC-7691
Flexible Feeder					
Times Fiber Flex. Feeder (TXFF) & CommScope F50 This tool was replaced by the Super CPT	0.250 / 6.4	Adjustable	CPT-TXFF-250 replaced by Part Number SCPT-TXFF or SCPT-TXFF-6	304X595 304X600	RBC-TXFF-250 RBC-6590

CPT Cable Stripping Tools

SPECIFICATIONS

Part Number	Weight (Ounces)	Weight (Grams)	Tool Color/ Cartridge Color	Blade Cartridges Supplied with Tool
CPT-6590	2.9	82	Yellow / Black	1 installed, 1 spare
CPT-6590-SINGLE	2.2	64	Yellow / Black	1 installed
CPT-6590S	2.9	82	Yellow / Black	1 installed, 1 spare
CPT-6590-1S	2.2	64	Yellow / Black	1 installed
CPT-6590PL	2.9	82	Yellow / Blue	1 installed
CPT-1250	2.9	82	Red / Blue	1 installed
CPT-6590TS	2.9	82	Yellow / White	1 installed, 1 spare
CPT-6590TS-1	2.2	64	Yellow / White	1 installed
CPT-59HEC2	2.2	64	Yellow / White	1 installed
CPT-1100	2.9	82	Blue / Grey	1 installed, 1 spare
CPT-1100-SINGLE	2.2	64	Blue / Grey	1 installed
CPT-1100PL	2.9	82	Blue / Grey	1 installed
CPT-1100-125	2.9	82	Blue / Orange	1 installed
CPT-7538	2.2	64	Green / Yellow	1 installed
CPT-7691	2.2	64	Green / Smoke Grey	1 installed