

## CPT Cable Stripping Tools



### DESCRIPTION

CPT coax cable strippers are factory-calibrated to remove the right amount of cable jacket, cut the braid and dielectric to the proper length, and expose the center conductor in one smooth operation.

### APPLICATIONS

The CPT Series of cable stripping tools strip the jacket and cut back the braid and dielectric to the proper dimensions on braided and braid-replacement drop cables, including standard (single) through quad shielded RG-6, -59, -7, and -11 cables. CPT tools are also available for Belden, SCTE approved Commscope and Times Fiber Mini Coax, Plenum, Commscope® 59 Quad-series Headend, and Times Fiber TXFF cables.

### SPECIAL FEATURES

#### An Ergonomic, Efficient Design:

The CPT body is comfortable to hold and easy to operate with either hand. Because jacket, braid, and dielectric are cut with one simple motion, cables can be prepared quickly and easily.



*Continued next page*

- **Hardened tool-steel blades** strip jacket and cut back braid and dielectric in one smooth operation to prepare cable quickly.
- **Patented clean-out feature** removes debris during use for easy clean-up.
- **Pre-calibrated cartridges** ensure proper strip dimensions.

## CPT Cable Stripping Tools

### SPECIAL FEATURES *(continued)*


#### **Hardened, Tool-steel Blades:**

Made of the highest quality steel, CPT blades ensure optimum performance over a long life. Each cartridge can prepare 2,500 - 5,000 cables, depending on braid coverage.




#### **Factory Calibration:**

Pre-calibrated dimensions for different applications help to ensure that jackets are stripped and braid and dielectric are cut back properly.



#### **Patented Cleanout Feature:**

The patented cleanout feature of the CPT tool automatically removes excess jacket, braid, and dielectric from the tool after stripping.



#### **Color-coded Bodies and Cartridges:**

Color-coding of the tool bodies and replaceable cartridges makes it easy to identify the right tool for the application. The cartridges snap easily into place.



#### **Lightweight Durability:**

Rugged enough for the toughest jobs, lightweight CPT tools offer consistent, precision performance that can be depended on over the long haul.

# CPT Cable Stripping Tools

## ORDERING INFORMATION

Cable Type	Braid Exposure (in./mm)	Center Conductor Exposure (in./mm)	CPT Tool Part Number	SPC Part Number	Compatible with the Following Replacement Cartridges
<b>Coax: RG-6 &amp; RG-59</b>					
6 & 59	0.250 / 6.4	0.250 min /6.4 min	CPT-6590 CPT-6590-SINGLE CPT-6590S (w/stop) CPT-6590-1S (w/stop)	<a href="#">304X412</a> <a href="#">304X418</a> <a href="#">304X525</a> <a href="#">304X280</a>	RBC-6590
6 & 59 Plenum	0.250 / 6.4	0.250 min /6.4 min	CPT-6590PL	<a href="#">304X274</a>	RBC-6590PL
6 & 59	0.125 / 3.2	0.250 / 6.4 with stop	CPT-1250	<a href="#">304X269</a>	RBC-1250
TriShield 6	0.250 / 6.4	0.250 / 6.4	CPT-6590TS CPT-6590TS-1	<a href="#">304X277</a>	RBC-6590TS
CommScope 59 Quad Series Head End	0.250 / 6.4 (Cuts off first layer of braid)	0.250 min /6.4 min	CPT-59HEC2	<a href="#">304X271</a>	RBC-59HEC2
<b>Coax: RG-7 &amp; RG-11</b>					
7 & 11	0.250 / 6.4	0.250 min /6.4 min	CPT-1100 CPT-1100-SINGLE	<a href="#">304X400</a> <a href="#">304X263</a>	RBC-1100
7 & 11 Plenum	0.250 / 6.4	0.250 min /6.4 min	CPT-1100PL	<a href="#">304X266</a>	RBC-1100PL
7 & 11	0.125 / 3.2	0.250 min /6.4 min	CPT-1100-125	<a href="#">304X260</a>	RBC-1100-125
<b>Mini Coax</b>					
Belden	0.250 / 6.4	0.250 min /6.4 min	CPT-7538	<a href="#">304X405</a>	RBC-7538
Commscope and Times Fiber (SCTE Approved)	0.250 / 6.4	0.250 min /6.4 min	CPT-7691	<a href="#">304X660</a>	RBC-7691
<b>Flexible Feeder</b>					
Times Fiber Flex. Feeder (TXFF) & CommScope F50 This tool was replaced by the Super CPT	0.250 / 6.4	Adjustable	CPT-TXFF-250 replaced by Part Number SCPT-TXFF or SCPT-TXFF-6	<a href="#">304X595</a> <a href="#">304X600</a>	RBC-TXFF-250 RBC-6590

# CPT Cable Stripping Tools

## SPECIFICATIONS

Part Number	Weight (Ounces)	Weight (Grams)	Tool Color/ Cartridge Color	Blade Cartridges Supplied with Tool
CPT-6590	2.9	82	Yellow / Black	1 installed, 1 spare
CPT-6590-SINGLE	2.2	64	Yellow / Black	1 installed
CPT-6590S	2.9	82	Yellow / Black	1 installed, 1 spare
CPT-6590-1S	2.2	64	Yellow / Black	1 installed
CPT-6590PL	2.9	82	Yellow / Blue	1 installed
CPT-1250	2.9	82	Red / Blue	1 installed
CPT-6590TS	2.9	82	Yellow / White	1 installed, 1 spare
CPT-6590TS-1	2.2	64	Yellow / White	1 installed
CPT-59HEC2	2.2	64	Yellow / White	1 installed
CPT-1100	2.9	82	Blue / Grey	1 installed, 1 spare
CPT-1100-SINGLE	2.2	64	Blue / Grey	1 installed
CPT-1100PL	2.9	82	Blue / Grey	1 installed
CPT-1100-125	2.9	82	Blue / Orange	1 installed
CPT-7538	2.2	64	Green / Yellow	1 installed
CPT-7691	2.2	64	Green / Smoke Grey	1 installed