


Standard SCAPC Duplex SM / Standard SCUPC Duplex SM, SMF Ultra, 2F, Zipcord Riser, Standard Yellow Jacket 1 Meters

CORNING

**Part Number:
667202G5116001M**

Cable assemblies are an often overlooked, critical component of your inside plant connectivity portfolio. These products are the component that enables port replication and the ability to cost effectively transmit and receive services between the active electronics and end users. As the industry's leading supplier of cable assemblies, Corning's state-of-the-art manufacturing process ensures reliable connector performance with products that meet or exceed all industry standards for reflectance and insertion loss. Our ability to scale to meet your deployment needs is what sets us apart, along with the highest-quality fiber and factory-tested connectors. All assemblies undergo rigorous performance testing to ensure optimal quality in every connector. Constant process improvements offer a variety of options in fiber, cable, and connector types to meet your network's ever-evolving needs.

If you do not see what you are looking for here, please review the ordering matrix contained in the family specification sheet, or contact Customer Care at 1-800-743-2675.



Features and Benefits

State-of-the-art manufacturing processes

Advanced technology results in unsurpassed product consistency and quality

Global operations

Mitigates trade barriers or supply disruptions

Flexible design options

Choice of materials for strength elements and fiber properties for various application requirements

Superior performance testing

Each termination is tested to ensure the highest network performance

Standard SCAPC Duplex SM / Standard SCUPC Duplex SM, SMF Ultra, 2F, Zipcord Riser, Standard Yellow Jacket 1 Meters



Specifications

General Settings

Unit of Measure	Meters
Product Category	2 Fiber

Furcation A

Outer Diameter	1.6mm
----------------	-------

Connector A

Connector	SC APC Dup
Connector Pairing	Duplex
Connector Keying	Non-Keyed
Color	Standard

Furcation B

Outer Diameter	1.6mm
----------------	-------

Connector B

Connector	SC UPC Dup
Connector Pairing	Duplex
Connector Keying	Non-Keyed
Color	Standard

Standard SCAPC Duplex SM / Standard SCUPC Duplex SM, SMF Ultra, 2F, Zipcord Riser, Standard Yellow Jacket 1 Meters



Cable	
Fiber Type	OS2 Bend-improved SM
Flame Rating	Riser
Color	Yellow
Length	1
Unit of Measure	Meters
Cable Type	Zipcord
Fiber Mode	Single-Mode

